

INSPIRED BY THE BEAUTY OF NATURE

NaturoTM

All the beauty of wood....
All the benefits of aluminium...

Naturo by MyDek captures the charm of natural timber with the safety and durability of our aluminium deckboards. Naturo uses an advanced process to infuse the beautiful woodgrain pattern into the surface of the boards coating.

The result? All the beauty of natural timber with all the benefits of durable and non-combustible aluminium

Naturo's unique patterns will stand the test of time. Non-combustible, low maintenance, and will never warp, buckle or rot.

Naturo by **MyDek** brings all the beauty of natural timber to your deck, without the risks.

MyDek. Make it yours.

Beach Plank

CONTACT US FOR FREE SAMPLES

T: +44 (0)3300 94 94 11 E: sales@mydek.com

www.mydek.com



THE MYDEK MISSION

"TO ENHANCE THE SAFETY OF THE APARTMENT COMMUNITY THROUGH SAFE, SMART, SUSTAINABLE PRODUCTS AND INNOVATION."





Safe.

- Non-combustible and compliant to A2 s1, d0
- Slip resistant to PTV 61
- Advanced wear tested for complete durability



Smart.

- 5 colours from real woodgrain patterns
- Low maintenance
- Prestigious premium finish



Sustainable.

- Preserves our rainforests
- Recyclable aluminium
- 60 year design life

Tree House

Rosewood

Arbour

Beach Plank

Driftwood

CONTACT US FOR FREE SAMPLES

T: +44 (0)3300 94 94 11 E: sales@mydek.com

www.mydek.com



ATTENTION TO DETAIL
EXPERT KNOWLEDGE
INNOVATIVE
PRODUCTS
THAT'S MYDEK.



www.mydek.com

Terrace System

The **MyDek®** SupportRail™ system has been specially designed to meet the latest regulations and provide class-leading adjustability and ease of use.

Virtually tool-free installation means that installing **MyDek®** onto your terrace or inset balcony is rapid and accurate, and with the low SupportRail™ profile you can achieve finished floor levels from 80-300mm above the structural level.

Pedestals are constructed from corrosion-resistant stainless steel with a super-low base plate to allow water run-off, and 35mm of adjustment on every pedestal height option. The SupportRail™ is coated for longevity and pre-drilled at the correct spacing to rapidly fix MyDek® boards.

CONTACT US FOR FREE SAMPLES

T: +44 (0)3300 94 94 11 E: sales@mydek.com

Naturo is available in....

Vista

Aluminium deck board

The first choice for a non-combustible decking, Vista is fast and simple to install. With a 30-year guarantee and a Qualicoat Class 2 coating, you can trust Vista to provide a pleasing appearance into the future.

Driftwood

Dimensions

Board width x depth: 144 x 20mm

Board length: 4m or cut-to-length
(subject to conditions)

Material

Board: **Aluminium grade 6063-T6**Finish: **Polyester Powder Coating – 80micron slip-resistant**

Performance Standards

Quality	Standard	Value	Limit
Slip resistance - Wet Slip resistance - Dry	BS7976 -2 Pendulum Slip Test	39.5 PTV 59 PTV	>36
Coating Durability	EN12206, EN13438	Qualicoat Class 2	-
Accelerated wear test (biomechanical - see appendix 1.1)	TM391:2016	'Very Slight' at 50k footfalls 'Slight' at 100k footfalls	
Furniture leg test (scratching)	EN424:2001	No damage Slight transfer	
Fire test (polyester powder coated)	EN 13501 – 1 A1:2013	A2-s1, d0	A2 – s1, d0
Coating Adhesion	ISO-0 ASTM-5B	No separation	-
UV Stability	ISO2810	Class 2	3-year Florida





About MyDek®

The **MyDek** team harnesses a huge range of experience, creativity, passion and drive to make balconies and terraces safe places to be. Drawn from different areas of the construction industry our team brings together extensive knowledge of specification, technical compliance and outstanding innovation to create a non-combustible decking system that delivers on our mantra of Safe. Smart. Sustainable.

So relax, you're in safe hands.

Safe. Smart. Sustainable.

Our ethos runs through everything we do. We're passionate to ensure that our products reflect these values and make a significant contribution to residential balconies and terraces as safe and enjoyable places.

The philosophy that supports all our products



Safe.



Smart.



Sustainable.



For further information:

T: +44 (0)3300 94 94 11 E: sales@mydek.com